



**Maxforce®**  
**FLY SPOT BAIT**

# Product

## information sheet

### // BEST USES

Maxforce® Fly Spot Bait provides a discreet and effective way to control house flies in and on the outside surfaces of commercial and residential structures including non-food/non-feed areas of commercial food handling establishments, restaurants, dining areas, storage facilities, schools, hospitals, nursing homes, offices and buildings at marinas. Maxforce Fly Spot Bait may also be applied to the exterior and interior surfaces of dumpsters and other waste containers.

### // KEY STRENGTHS

Powerful attractants combined with the active ingredient imidacloprid. This product provides immediate results with a long residual.

#### *Benefits of Maxforce Fly Spot Bait*

- Easy application
- Immediate results
- Long residual (up to 4 weeks when applied indoors)
- Treat less surface area
- Sprayable formulation
- Low odour
- Controls pyrethroid-resistant flies

#### *How to apply Maxforce Fly Spot*

Dilute Maxforce Fly Spot by mixing 125 g per L of water (1.25%). This is accomplished by adding 2.2 packages per L of water (or 1 package per 450 mL of water).

#### *Rate of Application*

**Low to moderate infestations:** apply two litres of finished spray to treat 100 m<sup>2</sup> of fly resting surfaces.

**Moderate to high infestations:** apply four litres of finished spray to treat 100 m<sup>2</sup> of fly resting surfaces.

#### *Where to Apply*

Spray diluted Maxforce Fly Spot Bait on fly resting areas such as on walls, around windows and the exterior and interior surfaces of dumpsters or trash collection bins. Apply product in spots of no greater than 0.2m<sup>2</sup> in locations where house flies tend to rest. Spots are not to be adjoining. The combined area of spots is not to exceed 10% of the total surface area of a room.

### // FOOD/FEED HANDLING ESTABLISHMENTS

Applications in food/feed handling establishments are permitted ONLY in non-food/non-feed areas. Non-food/non-feed areas include garbage rooms, lavatories, entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets and storage (after packaging, canning or bottling).

// Pests Controlled  
house flies

// Active Ingredients  
imidacloprid 10%

// Group  
4A

// Formulation  
WG

// Packaging  
50 x 56.7 g packages

## // WHY USE MAXFORCE FLY SPOT BAIT

- Maxforce Fly Spot Bait provides fast and effective results, while eliminating the need to treat large surfaces
- Maxforce Fly Spot Bait fits well into an overall integrated pest management program for house flies that includes proper sanitation and environmental controls, such as exclusion and proper light management

## // ADDITIONAL APPLICATION INFORMATION

- Apply with low pressure sprayer, do not exceed 20 PSI
- Reapply if house flies continue to be a problem, but not before 7 days
- Treat as a wettable powder and agitate diluted material frequently throughout the day
- Applications of this product may leave a visible residue or discolour some surfaces. Before treating, it is advisable to test application in a small inconspicuous area
- Avoid keeping diluted material in sprayer for more than a couple of days. If storing diluted product in the sprayer, ensure that you properly label and store this material in accordance with provincial and federal pesticide regulations

## // RESTRICTIONS

- Do not exceed more than 500 g of product per 100 m<sup>2</sup>
- Treated bait spots must be placed in locations NOT accessible to children, pets, livestock or wildlife
- Do not apply in food areas of food processing or manufacturing facilities or in agriculture facilities
- Do not apply in classrooms or patient rooms
- Do not allow people or pets to re-enter treated areas until sprays have dried
- Do not apply to overhead areas or in confined spaces without appropriate respiratory and eye protection
- Ventilate treated areas after application either by opening windows and doors or through use of air exchange/ ventilation systems confirmed to be operational. Use fans where required to aid in the circulation of air



Canada,  
excluding Quebec:  
Darcy Olds  
905.319.8981

Quebec:  
Normand Drapeau  
514.949.2467

[www.bayeres.ca](http://www.bayeres.ca)

1-888-283-6847

@BayerGolfCA



## **Maxforce Fly Spot Label Update – New Label Includes Outdoor Use on Structures**

Included is a summary of the recent label changes to the Maxforce Fly Spot Label. The Label changes/additions are listed in blue.

### **The label now reads FOR INDOOR USE AND FOR LIMITED OUTDOOR USE ON THE EXTERIOR SURFACES OF LISTED STRUCTURES**

These include commercial and residential buildings such as non-food/non-feed areas of commercial food handling establishments, restaurants, dining areas, storage facilities, schools, hospitals, nursing homes, offices and buildings at marinas, **and for limited outdoor use on the exterior surfaces of such buildings.** May also be applied to the interior and **exterior surfaces of dumpsters and other waste containers.**

### **FOR USE INSIDE TRANSPORT VEHICLES**

In addition to the expanded use areas, there are new precautionary requirements that have been added to the label so be sure to take the time to read and follow all label instructions. The most notable additions include:

- **DO NOT apply to overhead areas or in confined spaces without appropriate respiratory and eye protection.**
- **DO NOT allow people or pets to re-enter treated areas until sprays have dried.**
- **Ventilate treated areas after application either by opening windows and doors or through use of air exchange/ventilation systems confirmed to be operational. Use fans where required to aid in the circulation of air.**

For questions contact:

Darcy Olds, Bayer

905 464 8399

[www.BayerES.ca](http://www.BayerES.ca)

# MaxForce® Fly Spot Bait

GROUP	4	INSECTICIDE
-------	---	-------------

FOR INDOOR USE AND FOR LIMITED OUTDOOR USE ON THE  
EXTERIOR SURFACES OF LISTED STRUCTURES  
FOR USE INSIDE TRANSPORT VEHICLES

For control of house flies

Only to be used by individuals holding an appropriate pesticide applicator certificate or license recognized by the provincial/territorial pesticide regulatory agency where the application occurs.

## COMMERCIAL

### WETTABLE GRANULES

ACTIVE INGREDIENT: Imidacloprid.....10%  
Muscalure.....0.1%

**REGISTRATION NUMBER 32493 PEST CONTROL PRODUCTS ACT**

**READ THE LABEL AND BOOKLET BEFORE USING**

**KEEP OUT OF REACH OF CHILDREN**

NET CONTENTS: 50 g to 0.5 kg

BAYER CROPSCIENCE INC.  
Suite 200, 160 Quarry Park Blvd SE.  
Calgary, Alberta  
T2C 3G3

Product information:  
1-888-283-6847  
[www.bayeres.ca](http://www.bayeres.ca)

**In case of spills, poisoning or fire, telephone emergency response number (toll-free) 1-800-334-7577 (24 hours a day)**

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

**FIRST AID:**

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**IF SWALLOWED:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

**PRECAUTIONS:**

KEEP OUT OF REACH OF CHILDREN

DO NOT APPLY IN THE PRESENCE OF CHILDREN OR IN AREAS ACCESSIBLE TO CHILDREN

Harmful if swallowed. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

Ventilate treated areas after application either by opening windows and doors or through use of air exchange/ventilation systems confirmed to be operational. Use fans where required to aid in the circulation of air.

**PROTECTIVE CLOTHING AND EQUIPMENT:** Wear a long-sleeved shirt, long pants, socks, shoes, and chemical resistant gloves during mixing, loading, application, clean-up and repair.

**DO NOT** apply to overhead areas or in confined spaces without appropriate respiratory and eye protection.

**TOXICOLOGICAL INFORMATION:** No specific antidote is available. Treat the patient symptomatically.

**ENVIRONMENTAL PRECAUTIONS:** Toxic to aquatic organisms. Toxic to birds, do not spray birds. Toxic to bees, do not apply this product or allow it to drift if bees are present. Apply this product only in accordance with this label.

**STORAGE AND DISPOSAL:**

DO NOT contaminate water, food, or feed by storage or disposal.

**STORAGE:** Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, or feed. Store in original containers and out of the reach of children, preferably in a locked storage area. Handle and open container in a manner as to prevent spillage.

**DISPOSAL:**

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

MAXFORCE® is a registered trademark of the Bayer Group.

190125

# MaxForce<sup>®</sup> Fly Spot Bait

GROUP	4	INSECTICIDE
-------	---	-------------

FOR INDOOR USE AND FOR LIMITED OUTDOOR USE ON THE  
EXTERIOR SURFACES OF LISTED STRUCTURES  
FOR USE INSIDE TRANSPORT VEHICLES

For control of house flies

Only to be used by individuals holding an appropriate pesticide applicator certificate or license recognized by the provincial/territorial pesticide regulatory agency where the application occurs.

## COMMERCIAL

### WETTABLE GRANULES

ACTIVE INGREDIENT: Imidacloprid.....10%  
Muscalure.....0.1%

**REGISTRATION NUMBER 32493 PEST CONTROL PRODUCTS ACT**

**READ THE LABEL BEFORE USING**

**KEEP OUT OF REACH OF CHILDREN**

NET CONTENTS: 50 g to 0.5 kg

BAYER CROPSCIENCE INC.  
Suite 200, 160 Quarry Park Blvd SE.  
Calgary, Alberta  
T2C 3G3

Product information:  
1-888-283-6847  
[www.bayeres.ca](http://www.bayeres.ca)

**In case of spills, poisoning or fire, telephone emergency response number  
1-800-334-7577 (24 hours a day)**

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

**FIRST AID:** Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**If swallowed:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN.

DO NOT APPLY IN THE PRESENCE OF CHILDREN OR IN AREAS ACCESSIBLE TO CHILDREN.

Harmful if swallowed. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

Ventilate treated areas after application either by opening windows and doors or through use of air exchange/ventilation systems confirmed to be operational. Use fans where required to aid in the circulation of air.

**PROTECTIVE CLOTHING AND EQUIPMENT:** Wear a long-sleeved shirt, long pants, socks, shoes, and chemical resistant gloves during mixing, loading, application, clean-up and repair.

**DO NOT** apply to overhead areas or in confined spaces without appropriate respiratory and eye protection.

**TOXICOLOGICAL INFORMATION:** No specific antidote is available. Treat the patient symptomatically.

**ENVIRONMENTAL PRECAUTIONS:** Toxic to aquatic organisms. Toxic to birds, do not spray birds. Toxic to bees, do not apply this product or allow it to drift if bees are present. Apply this product only in accordance with this label.

**STORAGE AND DISPOSAL:** Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, or feed. Store in original containers and out of the reach of children, preferably in a locked storage area. Handle and open container in a manner as to prevent spillage.



**DISPOSAL:**

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

**GENERAL INFORMATION:**

- A bait that is applied as a spray to be consumed by house flies.
- Contains a specially formulated mixture of attractants.
- Contains 2 powerful attractants designed to lure house flies to their death.
- Contains the attractant muscalure
- Contains Bitrex® bittering agent to help prevent ingestion by non-target animals, children, and pets.
- Easy to apply.
- When applied indoors, residual efficacy can last up to 4 weeks unless the bait is completely consumed.

**QUESTIONS ??**

For questions or comments, call toll-free 1-888-283-6847.

**DIRECTIONS FOR USE****Product Information**

This product is bait formulated to control house flies in commercial and residential buildings and for limited outdoor use on the exterior surfaces of such buildings. The product is to be diluted and applied as a spray for treatment of structural surfaces and to the interior and exterior surfaces of waste containers. Also for use inside transport vehicles.

Use MaxForce Fly Spot Bait as part of an overall integrated pest management program for house flies which should include proper sanitation and environmental controls, such as exclusion and proper light management.

Applications of this product may leave a visible residue or discolor some surfaces. Before treating, it is advisable to test application in a small inconspicuous area.

**TO CONTROL HOUSE FLIES****LOCATIONS OF USE**

**FOR INDOOR USE AND FOR LIMITED OUTDOOR USE ON THE EXTERIOR SURFACES OF LISTED STRUCTURES** For use in commercial and residential buildings such as non-food/non-feed areas of commercial food handling establishments, restaurants, dining areas, storage facilities, schools, hospitals, nursing homes, offices and buildings at marinas, and for limited outdoor use on the exterior surfaces of such buildings. May also be applied to the interior and exterior surfaces of dumpsters and other waste containers.

	<p>FOR USE INSIDE TRANSPORT VEHICLES</p> <p><u>Food/Feed Handling Establishments:</u> Applications in food/feed handling establishments are permitted ONLY in non-food/non-feed areas. Non-food/non-feed areas include garbage rooms, lavatories, entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets and storage (after packaging, canning or bottling).</p> <p>Food/feed handling establishments are defined as places other than private residences in which exposed food/feed is held, processed, prepared or served. Included also are areas for receiving, storing, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) of food.</p> <p>Contamination of food or food contact surfaces must be avoided. <b>DO NOT</b> apply this product to any food, food packaging, or any surfaces that may come into contact with food/feed.</p> <p><b>DO NOT</b> use in agricultural production facilities.</p>
WHERE TO APPLY	<p>Spray diluted MaxForce Fly Spot Bait on structural surfaces where house flies tend to rest such as on walls, around windows and on the surfaces of dumpsters or trash collection bins.</p> <p>House flies prefer warm and sites with no air movement for resting. Avoid application in cool areas and in areas with air movement such as near fans.</p> <p>As this product is not registered for the control of pests in aquatic systems, <b>DO NOT</b> use to control aquatic pests.</p> <p><b>DO NOT</b> contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.</p> <p>Treated baits spots must be placed in locations NOT accessible to children, pets or wildlife.</p>
WHEN TO APPLY	Time applications to begin at the start of the season before fly populations have reached their peak.
DILUTION	<p><b>DO NOT</b> apply undiluted.</p> <p>Add 125 g of MaxForce Fly Spot Bait/L of water. Agitate until completely mixed.</p>
USE RATE	<ul style="list-style-type: none"> <li>For low to moderate infestations of house flies, apply 2 litres of finished spray to treat 100 m<sup>2</sup> of fly-resting surfaces.</li> <li>For moderate to high infestations of house flies, apply 4 litres of finished spray to treat 100 m<sup>2</sup> of fly-resting surfaces.</li> </ul>
APPLICATION EQUIPMENT	<p><u>Spray Application:</u> Apply as a coarse fan or cone spray. Apply solution at a low pressure not to exceed 135 kPa (20 PSI). Flush spray equipment with water to prevent clogging.</p>
HOW TO APPLY	<p><u>Spot Application:</u> <b>DO NOT</b> spray the complete surface because MaxForce Fly Spot Bait will attract house flies to the treated area. Best results occur when MaxForce Fly</p>

	<p>Spot Bait is applied to many locations throughout the structure or facility as a spot treatment where house flies tend to rest.</p> <p>A spot application is localized to a surface area not greater than 0.2 m<sup>2</sup> (2 ft<sup>2</sup>). Spots are not to be adjoining. The combined area of spots is not to exceed 10% of the total surface area a room.</p>
RE-APPLICATION	Re-apply if house flies continue to be a problem, but not before 7 days.
RESTRICTIONS	<ul style="list-style-type: none"> <li>• <b>DO NOT</b> allow people or pets to re-enter treated areas until sprays have dried.</li> <li>• <b>DO NOT</b> apply bait on surfaces accessible to children or pets.</li> <li>• <b>DO NOT</b> apply to carpets, area rugs or any type of floor covering.</li> <li>• <b>DO NOT</b> apply to the contents of the building (e.g., furniture).</li> <li>• <b>DO NOT</b> allow spray to drip or allow drift onto non-target surfaces; any spray residue must be removed by the applicator.</li> <li>• <b>DO NOT</b> apply as a broadcast, indoor perimeter or space spray.</li> <li>• <b>DO NOT</b> allow bait to come in contact with food or water, livestock feed or their water.</li> <li>• <b>DO NOT</b> apply in food areas of food processing or manufacturing facilities.</li> <li>• <b>DO NOT</b> apply in classrooms or patient rooms.</li> <li>• <b>DO NOT</b> apply in agricultural production facilities.</li> <li>• <b>DO NOT</b> treat patios, porches, decks, gazebos or play structures.</li> <li>• <b>DO NOT</b> treat soil, turf or other plants adjacent to the building. This product is only for use on the exterior surfaces of listed structures.</li> <li>• <b>DO NOT</b> exceed 500 g of MaxForce Fly Bait per 100 m<sup>2</sup>.</li> </ul>

## RESISTANCE MANAGEMENT RECOMMENDATIONS:

For resistance management, please note that MaxForce Fly Spot Bait contains a Group 4 insecticide. Any insect population may contain individuals naturally resistant to MaxForce Fly Spot Bait and other Group 4 insecticides. The resistant individuals may dominate the insect population if this group of insecticides is used repeatedly in the same location. Other resistance mechanisms that are not linked to site of action, but specific for individual chemicals, such as enhanced metabolism, may also exist. Appropriate resistance management strategies should be followed.

To delay insecticide resistance:

- Where possible, rotate the use of MaxForce Fly Spot Bait or other Group 4 insecticides with different groups that control the same pests.
- Insecticide use should be based on an Integrated Pest Management (IPM) program that includes scouting, record keeping, and considers cultural, biological and other chemical control practices.
- Monitor treated pest populations for resistance development.
- Contact your local extension specialist for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.
- For further information and to report suspected resistance, contact a Bayer CropScience representative at 1-888-283-6847 or at [www.bayercropscience.ca](http://www.bayercropscience.ca).

190125